

## 2014 Latest Oracle 1Z0-117 Exam Dump Free Download!

QUESTION 1 You instance has these parameter settings: **PARALLEL\_DEGREE\_POLICY=AUTO**  
**PARALLEL\_SERVERS\_TARGET=64**  
**PARALLEL\_MIN\_PERCENT=25**  
**PARALLEL\_MAX\_SERVERS=128**  
**PARALLEL\_MIN\_SERVERS=0**  
**PARALLEL\_MIN\_TIME\_THRESHOLD=10**  
**PARALLEL\_DEGREE\_LIMIT=8**

Which three statements are true about these settings if no hints are used in a SQL statement? A. A statement estimated for more than 10 seconds always has its degree of parallelism computed automatically. B. A statement with a computed degree of parallelism greater than 8 will be queued for a maximum of 10 seconds. C. A statement that executes for more than 10 seconds always has its degree of parallelism computed automatically. D. A statement with a computed degree of parallelism greater than 8 will raise an error. E. A statement with any computed degree of parallelism will be queued if the number of busy parallel execution processes exceeds 64. F. A statement with a computed degree of parallelism of 20 will be queued if the number of available parallel execution processes is less 5. Answer: CEF

QUESTION 2

```
SQL SELECT id "id", parent_id, position "pos"  
lpad(' ', level || operation) decode (id, 0, cost) || POSITION "operation",  
Operations "option" object_name "object", object_node "table_queue",  
Other_tag parallel oper type, distribution "row dist", other "slave SQL"  
FROM plan_table  
Connect by prior id=parent_id START WITH id=0  
ORDER By id;
```

id	par	pos	operations	option	object
0		4	SELECT STATEMENT cost=4		
1	0	1	HASH	GROUP BY	
2	1	1	NESTED LOOPS		
3	2	1	TABLE ACCESS	FULL	DEPARTMENTS
4	2	2	INDEX	RANGE SCAN	EMP_DEPARTMENT_IX

Examine the following SQL statement: **SQL> EXPLAIN PLAN FOR**  
**SELECT department\_name, count (\*)**  
**FROM employees e, departments d**  
**WHERE e.department\_id=d.department\_id**  
**Group by d.department\_name;**

Examine the exhibit to view the execution plan. Which statement is true about the execution plan? A. The EXPLAIN PLAN generates the execution plan and stores it in c\$SQL\_PLAN after executing the query. Subsequent executions will use the same plan. B. The EXPLAIN PLAN generates the execution plan and stores it in PLAN\_TABLE without executing the query. Subsequent executions will always use the same plan. C. The row with the ID 3 is the first step executed in the execution plan. D. The row with the ID 0 is the first step executed in the execution plan. E. The rows with the ID 3 and 4 are executed simultaneously.

Answer: E Explanation: Note the other\_tag parallel in the execution plan. Within the Oracle plan\_table, we see that Oracle keeps the parallelism in a column called other\_tag. The other\_tag column will tell you the type of parallel operation that is being performed within your query. For parallel queries, it is important to display the contents of the other\_tag in the execution.

QUESTION 3 Which two types of SQL statements will benefit from dynamic sampling? A. SQL statements that are executed parallel B. SQL statement that use a complex predicate expression when extended statistics are not available. C. SQL statements that are resource-intensive and have the current statistics D. SQL statements with highly selective filters on column that has missing index statistics E. Short-running SQL statements

Answer: BD Explanation: B: One scenario where DS is used is when the statement contains a complex predicate expression and extended statistics are not available. Extended statistics were introduced in Oracle Database 11g Release 1 with the goal to help the optimizer get good quality cardinality estimates for complex predicate expressions.

D: DS It is typically used to compensate for missing or insufficient statistics that would otherwise lead to a very bad plan. Note: \* Dynamic sampling (DS) was introduced in Oracle Database 9i Release 2 to improve the optimizer's ability to generate good execution plans. \* During the compilation of a SQL statement, the optimizer decides whether to use DS or not by considering whether the available statistics are sufficient to generate a good execution plan. If the available statistics are not enough, dynamic sampling will be used. It is typically used to compensate for missing or insufficient statistics that would otherwise lead to a very bad plan. It is typically used to compensate for missing or insufficient statistics that would otherwise lead to a very bad plan. For the case where one or more of the tables in the query does not have statistics, DS is used by the optimizer to gather basic statistics on these tables before optimizing the statement. The statistics gathered in this case are not as high a quality or as complete as the statistics

gathered using the DBMS\_STATS package. This trade off is made to limit the impact on the compile time of the statement.

QUESTION 4 Examine the following query and execution plan:

Examine the following query and execution plan:

```
SQL> SELECT prod_id, prod_name
       FROM producers p
       WHERE prod_list_prices > (SELECT MAX(unit_cost)
                               FROM costs c
                               WHERE p.prod_id=c.prod_id);
```

Execution Plan

Plan hash value: 2297807746

Id	Operation	Name	Rows	Bytes	Cost	(%CPU)	Time
0	SELECT STATEMENT		4	140	82	(8)	00:00:01
1	HASH JOIN		4	140	82	(8)	00:00:01
2	VIEW	VW_SQL_11	72	1872	78	(7)	00:00:01
3	HASH GROUP BY		72	648	78	(7)	00:00:01
4	PARTITION RANGE ALL		82112	721K	74	(2)	00:00:01
5	TABLE ACCESS FULL	COSTS	82112	721K	74	(2)	00:00:01
6	TABLE ACCESS FULL	PRODUCTS	72	648	3	(0)	00:00:01

Predicate Information (Identified by operation id):

```
1- access ("P"."PROD_ID"=by operation id);
   Filter ("PROD_LIST_PRICE" > "MAX(UNIT_COST)")
```

Which query transformation technique is used in this scenario? A. Join predicate push-down B. Subquery factoring C. Subquery unnesting D. Join conversion Answer: A Explanation: \* Normally, a view cannot be joined with an index-based nested loop (i.e., index access) join, since a view, in contrast with a base table, does not have an index defined on it. A view can only be joined with other tables using three methods: hash, nested loop, and sort-merge joins. \* The following shows the types of views on which join predicate pushdown is currently supported. UNION ALL/UNION view Outer-joined view Anti-joined view Semi-joined view DISTINCT view GROUP-BY view QUESTION 5 You enabled auto degree of parallelism (DOP) for your instance. Examine the query:

```
SQL> SEECT /*+PARALLEL(AUTO)*/ customers.cust_first_name,
       Customers.cust_last_name,
       MAX(QUANTITY_SOLD), AVG(QUANTITY_SOLD)
       FROM mysales.customers
       WHERE mysales.cust_id=customer.cust_id
       GROUP BY customers.cust_first_name, customers.cust_last_name;
```

Which two are true about the execution of this query? A. Dictionary DOP will be used, if present, on the tables referred in the query. B. DOP is calculated if the calculated DOP is 1. C. DOP is calculated automatically. D. Calculated DOP will always be 2 or more. E. The statement will execute with auto DOP only when PARALLEL\_DEGREE\_POLICY is set to AUTO. Answer: CD Explanation: C: \* You can use the PARALLEL hint to force parallelism. It takes an optional parameter: the DOP at which the statement should run. In addition, the NO\_PARALLEL hint overrides a PARALLEL parameter in the DDL that created or altered the table. The following example illustrates computing the DOP the statement should use:

```
SELECT /*+ parallel(4) */ empname, empname FROM emp
       WHERE emp.deptno=emp.deptno;
```

Not A: to override the dictionary dop, we could use hints at object level Not E: statement hints override the PARALLEL\_DEGREE\_POLICY. Note: \* Automatic Parallel Degree Policy When the parameter PARALLEL\_DEGREE\_POLICY is set to AUTO, Oracle Database automatically decides if a statement should execute in parallel or not and what DOP it should use. Oracle Database also determines if the statement can be executed immediately or if it is queued until more system resources are available. Finally, Oracle Database decides if the statement can take advantage of the aggregated cluster memory or not. The following is a summary of parallel statement processing when parallel degree policy is set to automatic. 1. A SQL statement is issued. 2. The statement is parsed and the optimizer determines the execution plan. 3. The threshold limit specified by the PARALLEL\_MIN\_TIME\_THRESHOLD initialization parameter is checked. a. If the execution time is less than the threshold limit, the SQL statement is run serially. b. If the execution time is greater than the threshold limit, the statement is run in parallel based on the DOP that the optimizer calculates. QUESTION 6 View Exhibit1 and examine the structure and indexes for the MYSALES table.

Name	NULL?	Type
PROD_ID	NOT NULL	NUMBER
CUST_ID	NOT NULL	NUMBER
TIME_ID	NOT NULL	DATE
CHANNEL_ID	NOT NULL	NUMBER
PROMO_ID	NOT NULL	NUMBER
QUANTITY_ID	NOT NULL	NUMBER(10, 2)
AMOUNT_SOLD	NOT NULL	NUMBER(10, .)

TABLE_NAME	UNIQUENES	COLUMN_NAME	INDEX_NAME
MYSALES	NONUNIQUE	PPROD_ID	MYSALES_PRODIS_IDX
MYSALES	NONUNIQUE	PCUST_ID	MYSALES_PRODIS_IDX

The application uses the MYSALES table to insert sales record. But this table is also extensively used for generating sales reports. The PROD\_ID and CUST\_ID columns are frequently used in the WHERE clause of the queries. These columns have few distinct values relative to the total number of rows in the table. The MYSALES table has 4.5 million rows. View exhibit 2 and examine one of the queries and its autotrace output.

SQL> select sum(AMOUNT\_SOLD) from mysales where PROD\_ID = 30 and CUST\_ID=25939;

SUM(AMOUNT\_SOLD)

4137.6

Execution Plan

Plan hash value: 3710121278

Id	Operation	Name	Rows	Bytes	Cost	(%CPU)	Time
0	SELECT STATEMENT		1	14	843	(1)	00:00:11
1	SORT AGGREGATE		1	14			
2	TABLE ACCESS BY INDEX ROWID	MYSALES	57	798	843	(1)	00:00:11
3	BITMAP CONVERSION TO ROWIDS				11	(0)	00'00'01
7	BITMAP CONVERSION TO ROWIDS						
8	INDEX RANGE SCAN	MYSALES_PROD_IDX	4165		819	(1)	00:00:10

Predicate information (identified by operation id):

6- access ("CUST\_ID"=25939)  
 6- access ("PROD\_ID"=30)

Statistics

1	recursive calls
0	db block gets
2202	consistent gets
104	physical reads
0	redo size
432	bytes sent via SQL*NET to client
420	bytes received via SQL*Net from client
2	SQL*NET roundtrips to/from client
0	sorts (memory)
1	rows processed

Which two methods can examine one of the queries and its autotrace output? A. Drop the current standard balanced B\* Tree indexes on the CUST\_ID and PROD\_ID columns and re-create as bitmapped indexes. B. Use the INDEX\_COMBINE hint in the query. C. Create a composite index involving the CUST\_ID and PROD\_ID columns. D. Rebuild the index to rearrange the index blocks to have more rows per block by decreasing the value for PCTFREE attribute. E. Collect histogram statistics for the CUST\_ID and PROD\_ID columns. Answer: BC Explanation: B: The INDEX hint explicitly chooses an index scan for the specified table. You can use the INDEX hint for domain, B-tree, bitmap, and bitmap join indexes. However, Oracle recommends using INDEX\_COMBINE rather than INDEX for the combination of multiple indexes, because it is a more versatile hint. C: Combining the CUST\_ID and PROD\_ID columns into a composite index would improve performance. QUESTION 7 Examine the Exhibit to view the structure of an indexes for the SALES table.

EXAMINE the query and its execution:  
 SQL SELECT cust\_id, SUM(quantity\_sold)  
 FROM sales  
 WHERE cust\_id=101000  
 GROUP BY cust\_id, prod\_id;

Execution Plan

Plan hash value: 3959366940

Execution Plan

Plan hash value: 3959366940

Id	Operation	Name	Rows	Bytes	Cost	(%CPU)	Time	Pstart	Pstop
0	SELECT STATEMENT		43	516	55	(2)	00:00:01		
1	HASH GROUP BY		43	516	55	(2)	00:00:01	1	28
2	PARTITION TANGE ALL		130	1560	54	(0)	00:00:01	1	28
3	TABLE ACCESS BY LOCAL INDEX ROWID	SALES	0	56	54	(0)	00:00:01	1	28
4	BITMAP CONVERSION TO ROWIDS								
5	BITMAP INDEX VALUE	SALES_CUST_BIX						1	28

Predicate Information (identified by operation id):

5- access ("CUST\_ID"=101000)

Statistics

14524	recursive calls
0	db block gets
3052	consistent gets
127	physical reads
0	redo size
619	bytes sent via SQL*NET to client
416	bytes received via SQL*NET from client
2	SQL*NET roundtrips to/from client
122	sorts (memory)
0	rows processed

The SALES table has 4594215 rows. The CUST\_ID column has 2079 distinct values. What would you do to influence the optimizer for better selectivity? A. Drop bitmap index and create balanced B\*Tree index on the CUST\_ID column. B. Create a height-balanced histogram for the CUST\_ID column. C. Gather statistics for the indexes on the SALES table. D. Use the ALL\_ROWS hint in the query. Answer: D Explanation: OPTIMIZER\_MODE establishes the default behavior for choosing an optimization approach for the instance. Values: FIRST\_ROWS\_N - The optimizer uses a cost-based approach and optimizes with a goal of best response time to return the first n rows (where n = 1, 10, 100, 1000). FIRST\_ROWS - The optimizer uses a mix of costs and heuristics to find a best plan for fast delivery of the first few rows. ALL\_ROWS - The optimizer uses a cost-based approach for all SQL statements in the session and optimizes with a goal of best throughput (minimum resource use to complete the entire statement). QUESTION 8 Which three are tasks performed in the hard parse stage of a SQL statement executions? A. Semantics of the SQL statement are checked. B. The library cache is checked to find whether an existing statement has the same hash value. C. The syntax of the SQL statement is checked. D. Information about location, size, and data type is defined, which is required to store fetched values in variables. E. Locks are acquired on the required objects. Answer: BDE Explanation: Parse operations fall into the following categories, depending on the type of statement submitted and the result of the hash check: A) Hard parse If Oracle Database cannot reuse existing code, then it must build a new executable version of the application code. This operation is known as a hard parse, or a library cache miss. The database always perform a hard parse of DDL. During the hard parse, the database accesses the library cache and data dictionary cache numerous times to check the data dictionary. When the database accesses these areas, it uses a serialization device called a latch on required objects so that their definition does not change (see "Latches"). Latch contention increases statement execution time and decreases concurrency. B) Soft parse A soft parse is any parse that is not a hard parse. If the submitted statement is the same as a reusable SQL statement in the shared pool, then Oracle Database reuses the existing code. This reuse of code is also called a library cache hit. Soft parses can vary in the amount of work they perform. For example, configuring the session cursor cache can sometimes reduce the amount of latching in the soft parses, making them "softer." In general, a soft parse is preferable to a hard parse because the database skips the optimization and row source generation steps, proceeding straight to execution. Incorrect: A, C: During the parse call, the database performs the following checks: Syntax Check Semantic Check Shared Pool Check The hard parse is within Shared Pool check. Reference: Oracle Database Concepts 11g, SQL Parsing QUESTION 9 You are administering a database supporting an OLTP application. The application runs a series of extremely similar queries the MYSALES table where the value of CUST\_ID changes. Examine Exhibit1 to view the query and its execution

```

plan. SELECT prod_id, SUM(quantity_sold)
      FROM mysales
      WHERE cust_id=25939
      GROUP by prod_id
    
```

**Execution Plan**

Plan hash value: 1831518131

Id	Operation	Name	Rows	Bytes	Cost	(CPU%)	Time
0	SELECT STATEMENT		72	864	527	(1)	00:00:07
1	HASH GROUP BY		72	864	527	(1)	00:00:07
2	TABLE ACCESS BY INDEX ROWID	MYSALES	651	7812	526	(1)	00:00:07
3	INDEX RANGE SCAN	CUST_ID_IDX	651		4	(0)	00:00:01

**PREDICATE Information (identified by operation id):**

3-access ("CUST\_ID") = 25939

**Statistics**

0	recursive calls
0	db block size
1050	consistent gets
0	Physical reads
0	redo size
1348	bytes sent via SQL*NET to client
541	bytes received via SQL*NET to client
4	Bytes received via SQL*NET from client
0	sorts (memory)
0	sorts (disk)
36	rows processed

Examine Exhibit 2 to view the structure and indexes for the MYSALES table. The MYSALES table has 4 million records.

SQL> DESC mysales

Name	Null?	Type
PROD_ID	NOT NULL	NUMBER
CUST_ID	NOT NULL	NUMBER
TIME_ID	NOT NULL	DATE
CHANNEL_ID	NOT NULL	NUMBER
PROMO_ID	NOT NULL	NUMBER
QUANTITY_SOLD	NOT NULL	NUMBER (10, 2)
AMOUNT_SOLD	NOT NULL	NUMBER (10, 2)

SQL> SELECT a.index\_name, index\_type, column\_name  
 FROM user\_ind\_columns a, user\_indexes b  
 WHERE a.index\_name=b.index\_name AND a.table\_name = 'MYSALES'

INDEX_NAME	INDEX_TYPE	COLUMN_NAME
PROD_ID_IDX	NORMAL	PROD_ID
CHANNEL_ID_IDX	NORMAL	CHANNEL_ID
CUST_ID_idx	NORMAL	CUST_ID

Data in the CUST\_ID column is highly skewed. Examine the parameters set for the instance:

NAME	TYPE
Cursor_sharing	string
Cursor_space_for_time	boolean
Open_cursors	integer
Session_cached_cursors	integer
Optimizer_dynamic_sampling	integer

Which action would you like to make the query use the best plan for the selectivity? A. Decrease the value of the OPTIMIZER\_DYNAMIC\_SAMPLING parameter to 0. B. Use the /\*+ INDEX(CUST\_ID\_IDX) \*/ hint in the query. C. Drop the existing B\*-tree index and re-create it as a bitmapped index on the CUST\_ID column. D. Collect histogram statistics for the CUST\_ID column and use a bind variable instead of literal values. Answer: D Explanation: Using Histograms In some cases, the distribution of values within a column of a table will affect the optimizer's decision to use an index vs. perform a full-table scan.

This scenario occurs when the value with a where clause has a disproportional amount of values, making a full-table scan cheaper than index access. A column histogram should only be created when we have data skew exists or is suspected. QUESTION 10

Which two are the fastest methods for fetching a single row from a table based on an equality predicate? A. Fast full index scan on an index created for a column with unique key B. Index unique scan on an created for a column with unique key C. Row fetch from a single table hash cluster D. Index range scan on an index created from a column with primary key E. Row fetch from a table using rowid Answer: CE Explanation: A scan is slower than a row fetch (from hash value or rowid). QUESTION 11

An application user complains about statement execution taking longer than usual. You find that the query uses a bind variable in the WHERE clause as follows:

```
SELECT prod_category, AVG(amount_sold)
FROM sales s, products p
WHERE p.prod_id = s.prod_id AND prod_category != :pcat
GROUP BY prod_category
```

You want to view the execution plan of the query that takes into account the value in the bind variable PCAT. Which two methods can you use to view the required execution plan? A. Use the DBMS\_XPLAN.DISPLAY function to view the execution plan. B. Identify the SQL\_ID for the statements and use DBMS\_XPLAN.DISPLAY\_CURSOR for that SQL\_ID to view the execution plan.

C. Identify the SQL\_ID for the statement and fetch the execution plan PLAN\_TABLE. D. View the execution plan for the statement from V\$SQL\_PLAN. E. Execute the statement with different bind values and set AUTOTRACE enabled for session. Answer: BD Explanation: D: V\$SQL\_PLAN contains the execution plan information for each child cursor loaded in the library cache. B: The DBMS\_XPLAN package supplies five table functions: DISPLAY\_SQL\_PLAN\_BASELINE - to display one or more execution plans for the SQL statement identified by SQL handle DISPLAY - to format and display the contents of a plan table. DISPLAY\_AWR - to format and display the contents of the execution plan of a stored SQL statement in the AWR.

DISPLAY\_CURSOR - to format and display the contents of the execution plan of any loaded cursor. DISPLAY\_SQLSET - to format and display the contents of the execution plan of statements stored in a SQL tuning set. Passing your Oracle 1Z0-117 Exam by using the latest 1Z0-117 Exam Demo Full Version: <http://www.braindump2go.com/1z0-117.html>